

The Claims

1. (Withdrawn) A method of producing polyhydroxyalkanoates (PHA) polymer comprising at least one monomer selected from the group consisting of 3-hydroxypropionate, 3-hydroxyvalerate, 4-hydroxybutyrate, 4-hydroxyvalerate, 5-hydroxyvalerate, and 3-hydroxyhexanoate, comprising

expressing in an organism genes encoding a polyhydroxyalkanoate (PHA) synthase and a CoA-dependent aldehyde dehydrogenase, wherein at least one gene is a heterologous gene, and

feeding an alcohol to the organism.
2. (Withdrawn) The method of claim 1 wherein the PHA polymer further comprises 3-hydroxybutyrate.
3. (Withdrawn) The method of claim 1 wherein the PHA polymer is selected from the group consisting poly-3-hydroxybutyrate-co-3-hydroxyvalerate, poly-3-hydroxybutyrate-co-3-hydroxypropionate, poly-3-hydroxybutyrate-co-4-hydroxybutyrate, poly-3-hydroxybutyrate-co-3-hydroxyheanoate.
4. (Withdrawn) The method of claim 1 wherein the alcohol is selected from the group consisting of 1-propanol, 1,2-propanediol, and 1-butanol.
5. (Withdrawn) The method of claim 1 wherein the genes further encode enzymes selected from the group consisting of acyl-CoA transferase, acyl-CoA synthetase, β -ketothiolase, acetoacetyl-CoA reductase.
6. (Withdrawn) The method of claim 1 wherein the organism is selected from the group consisting of yeast, bacteria, fungi, and plants.
7. (Withdrawn) The method of claim 1 wherein the PHA synthase is poly(3-hydroxyalkanoate) synthase.

8. (Withdrawn) The method of claim 1 wherein the PHA synthase is poly(4-hydroxyalkanoate) synthase.

9. (Withdrawn) The method of claim 8 wherein the PHA synthase is poly(4-hydroxybutyrate) synthase.

10. (Withdrawn) The method of claim 1 wherein the organism is a bacterium.

11. (Withdrawn) The method of claim 10 wherein the organism is *E. coli*.

12. (Withdrawn) The method of claim 1 wherein the organism is *E. coli* expressing the *E. coli* *eutE* gene.

Claims 13-15 (Canceled).

16. (previously presented) A recombinant organism selected from the group consisting of bacteria, yeast, fungi and plants for producing polyhydroxyalkanoates, comprising a heterologous gene encoding a CoA-dependent aldehyde dehydrogenase and a PHA synthase.

17. (previously presented) The recombinant organism of claim 16 further comprising a heterologous gene encoding a PHA synthase.

18. (previously presented) The recombinant organism of claim 17 further comprising one or more genes, wherein the genes encode enzymes selected from the group consisting of acyl-CoA transferase, acyl-CoA synthetase, β -ketothiolase, acetoacetyl-CoA reductase.

19. (Original) The recombinant organism of claim 18, wherein one or more of the genes are endogenous to the recombinant organism.

20. (Original) The recombinant organism of claim 18, wherein one or more of the genes encoding enzymes selected from the group consisting of acyl-CoA transferase, acyl-CoA synthetase, β -ketothiolase, acetoacetyl-CoA reductase are heterologous to the recombinant organism.

21. (Original) The recombinant organism of claim 16 wherein the gene is *entE* of *E. coli*.
22. (Original) The recombinant organism of claim 16 which is a bacteria.
23. (Original) The recombinant organism of claim 16 which is a plant.
24. (Withdrawn) A method of producing polyhydroxyalkanoate (PHA) polymers comprising at least one monomer selected from the group consisting of 3-hydroxypropionate, 3-hydroxyvalerate, 4-hydroxybutyrate, 4-hydroxyvalerate, 5-hydroxyvalerate, and 3-hydroxyhexanoate, comprising
selecting an organism selected from the group consisting of bacteria, yeast, fungi and plants, genetically engineered to express a CoA-dependent aldehyde dehydrogenase and a PHA synthase, and feeding an alcohol to the organism.
25. (Withdrawn) The method of claim 24 wherein the PHA polymer further comprises 3-hydroxybutyrate.
26. (Withdrawn) The method of claim 24 wherein the PHA polymer is selected from the group consisting poly-3-hydroxybutyrate-co-3-hydroxyvalerate, poly-3-hydroxybutyrate-co-3-hydroxypropionate, poly-3-hydroxybutyrate-co-4-hydroxybutyrate, poly-3-hydroxybutyrate-co-3-hydroxyhexanoate.
27. (Withdrawn) The method of claim 24 wherein the alcohol is selected from the group consisting of 1-propanol, 1,2-propanediol, and 1-butanol.
28. (Withdrawn) The method of claim 24 wherein the organism comprises genes encoding enzymes selected from the group consisting of acyl-CoA transferase, acyl-CoA synthetase, β -ketothiolase, acetoacetyl-CoA reductase.

29. (Withdrawn) The method of claim 24 wherein the organism is selected from the group consisting of bacteria and plants.

30. (Withdrawn) The method of claim 24 wherein the PHA synthase is poly(3-hydroxyalkanoate) synthase.

31. (Withdrawn) The method of claim 24 wherein the PHA synthase is poly(4-hydroxyalkanoate) synthase.

32. (Withdrawn) The method of claim 31 wherein the PHA synthase is poly(4-hydroxybutyrate) synthase.

33. (Withdrawn) The method of claim 24 wherein the organism is a bacterium.

34. (Withdrawn) The method of claim 33 wherein the organism is *E. coli*.

35. (Withdrawn) The method of claim 24 wherein the organism is *E. coli* expressing the *E. coli entE* gene.

Claims 36-38 (Canceled).